

WIRELESS SOLUTIONS

High Power Audio Voice Recording Jammer

Desktop Range Up To 8m



| | | | |
|----------------|---|---------------|---|
| Product Name: | Audio Voice Recorder Jammer | Application: | Meeting Room, Party And Government Organizations, Enterprises |
| Shield Radius: | 4~8m | Power Supply: | AC Adaptor |
| Package Size: | 240*195*135 (mm) | Weight: | 5kg |
| Highlight: | mobile phone scrambler mobile phone signal blocker | | |

| | |
|----------------|-------------|
| Brand Name: | NACON |
| Certification: | ISO9001, CE |
| Model Number: | NA-301 |

Product Details

High Power Audio Voice Recording Jammer Desktop Range Up To 8m 8 Person Room

Description

High Power Audio Voice Recording Jammer Desktop Range Up To 8m 8 Person Room

Descriptions: *The desktop recording jammer NA-301 (enhanced version) is the star product of the recording jammer series, suitable for occasions such as offices and conference rooms. This audio voice recording jammer has large probe, so the distance can reach at least 4m. And it can block all kinds of phone. Shielding angle (average) is 120 ° horizontal / 120 ° vertical.*

Application Areas:

Meeting room, party and government organizations, enterprises and small medium and large conference rooms, concert halls, and etc.

Advantage:

1. More strengthened shielding effect: Strengthen the original technical means to make the output power of sound wave interference larger and the shielding effect stronger.
2. Longer shielding distance: Compared with portable products used at close range, the shielding distance of this product can reach 1-2 meters, and the shielding distance of some devices can reach more than 2 meters.
3. Wider range of use: coverage of mainstream recording equipment in the current market can reach more than 85%.

Specifications:

| | |
|------------------------------|---|
| product name | Desktop Enhanced Audio Recording Jammer |
| Product number | NA-301 |
| Interference mode | Acoustic interference |
| Audible | no |
| Signal strength | Greater than 105dB (at 1 meter in radial direction) |
| Shielding distance (average) | 4 meters |
| Shielding angle (average) | 120 ° horizontal / 120 ° vertical |
| Gear adjustment | 3 adjustable |
| Remote distance | Over 10 meters |
| Power supply | adapter |
| operating hours | Unlimited |
| Operating temperature | Less than 40 degrees |
| Operating Voltage | 12V |
| Working current (maximum) | 1.5A |
| Dimensions | 240*195*135(mm) |
| Material | Metal alloy |
| weight | 5Kg |

Nacon Wireless Solutions
IInd floor, Tarachand Complex, 196A, Ramesh Market
East of kailash, New Delhi-110065
Ph: 011-26286733/34, 9311162265

E-mail: naconwireless@gmail.com
Web: www.naconwireless.com

